

HLA-C (1S16) Rabbit Monoclonal Antibody

Catalog# UZ-MA02123

Product information

产品货号	UZ-MA02123
别名	MHC; HLAC; HLC-C; D6S204; PSORS1; HLA-JY3
产品名称	HLA-C (1S16) Rabbit Monoclonal Antibody
类别	抗体产品
推荐应用	WB,IP
反应种属	Human
存储缓冲液	Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% New type preservative N and 0.05% BSA.
免疫原	A synthetic peptide of human HLA-C
稀释度	WB 1:1000-1:5000, IP 1:100
参考分子量	41kDa
预测分子量	41kDa
运输及保存条件	-20°C/1 year
宿主	Rabbit
同种型	IgG
背景介绍	HLA-C belongs to the HLA class I heavy chain paralogues. This class I molecule is a heterodimer consisting of a heavy chain and a light chain (beta-2 microglobulin). The heavy chain is anchored in the membrane. Class I molecules play a central role in the immune system by presenting peptides derived from endoplasmic reticulum lumen. They are expressed in nearly all cells. The heavy chain is approximately 45 kDa and its gene contains 8 exons. Exon one encodes the leader peptide, exons 2 and 3 encode the alpha1 and alpha2 domain, which both bind the peptide, exon 4 encodes the alpha3 domain, exon 5 encodes the transmembrane region, and exons 6 and 7 encode the cytoplasmic tail. Polymorphisms within exon 2 and exon 3 are responsible for the peptide binding specificity of each class one molecule. Typing for these polymorphisms is routinely done for bone marrow and kidney transplantation. Over one hundred HLA-C alleles have been described [provided by RefSeq, Jul 2008]
纯化	Affinity Purification
Uniprot ID	P04222
Clonality	Monoclonal