

Hemoglobin subunit alpha (4L17) Rabbit Monoclonal Antibody

Catalog# UZ-MA02200

Product information

产品货号	UZ-MA02200
别名	HBH; HBA-T3
产品名称	Hemoglobin subunit alpha (4L17) Rabbit Monoclonal Antibody
类别	抗体产品
推荐应用	WB,IHC-P
反应种属	Human,Mouse,Rat
存储缓冲液	Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% New type preservative N and 0.05% BSA.
免疫原	A synthetic peptide of human Hemoglobin subunit alpha
稀释度	WB 1:1000, IHC-P/IF-P 1:100-1:500
参考分子量	15kDa
预测分子量	15kDa
运输及保存条件	-20°C/1 year
宿主	Rabbit
同种型	IgG
背景介绍	The human alpha globin gene cluster located on chromosome 16 spans about 30 kb and includes seven loci: 5'- zeta - pseudozeta - mu - pseudoalpha-1 - alpha-2 - alpha-1 - theta - 3'. The alpha-2 (HBA2) and alpha-1 (HBA1) coding sequences are identical. These genes differ slightly over the 5' untranslated regions and the introns, but they differ significantly over the 3' untranslated regions. Two alpha chains plus two beta chains constitute HbA, which in normal adult life comprises about 97% of the total hemoglobin; alpha chains combine with delta chains to constitute HbA-2, which with HbF (fetal hemoglobin) makes up the remaining 3% of adult hemoglobin. Alpha thalassemias result from deletions of each of the alpha genes as well as deletions of both HBA2 and HBA1; some nondeletion alpha thalassemias have also been reported. [provided by RefSeq, Jul 2008]
纯化	Affinity Purification
Uniprot ID	P69905
Clonality	Monoclonal