

Krs-2 (6X5) Rabbit Monoclonal Antibody

Catalog# HZ-YMA00695

Product information

产品货号	HZ-YMA00695
别名	KRS1;MST2;Serine/threonine-protein kinase 3;Mammalian STE20-like protein kinase 2;MST-2;STE20-like kinase MST2;Serine/threonine-protein kinase Krs-1;STK4;KRS2;MST1;Serine/threonine-protein kinase 4;Mammalian STE20-like prot
产品名称	Krs-2 (6X5) Rabbit Monoclonal Antibody
类别	抗体产品
基因名称	STK4
推荐应用	WB,IHC-P,IF-P,IF-F,IF-ICC,IP,ELISA
反应种属	Human,Mouse,Rat
存储缓冲液	PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA
Human Gene ID	6789
Human Swissprot No.	Q13043
稀释度	IHC-P 1:200-1:1000, WB 1:2000-1:10000, IF-P/IF-F/IF-ICC 1:200-1:1000, ELISA 1:500-1:20000, IP 1:50-1:200
参考分子量	56kDa
预测分子量	56kDa
运输及保存条件	Biological ice bag transportation. Store at -20°C for at least 12 months(Do not lower than -25°C). Avoid freeze/thaw cycles
宿主	Rabbit
同种型	IgG,Kappa
背景介绍	serine/threonine kinase 3(STK3) Homo sapiens This gene encodes a serine/threonine protein kinase activated by proapoptotic molecules indicating the encoded protein functions as a growth suppressor. Cleavage of the protein product by caspase removes the inhibitory C-terminal portion. The N-terminal portion is transported to the nucleus where it homodimerizes to form the active kinase which promotes the condensation of chromatin during apoptosis. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jan 2012],
细胞定位	Cytoplasm . Nucleus . The caspase-cleaved form cycles between nucleus and cytoplasm (PubMed:19525978, PubMed:11278283). Phosphorylation at Thr-117 leads to inhibition of nuclear translocation (PubMed:19525978). .
纯化	Protein A
Clonality	Monoclonal