

Perforin (12Z8) Rabbit Monoclonal Antibody

Catalog# HZ-YMA00888

Product information

产品货号	HZ-YMA00888
别名	Cytolysin;FLH2;HPLH2;Lymphocyte pore-forming protein;P1;PERF_HUMAN;perforin 1;pore forming protein;Perforin 1;Perforin-1;PFP;PGFL;PIGF;PIGF-2;PLGF;Pore forming protein;prf1;SHGC-10760
产品名称	Perforin (12Z8) Rabbit Monoclonal Antibody
类别	抗体产品
基因名称	PRF1
推荐应用	WB,IF-P,IF-F,IF-ICC,IP,ELISA
反应种属	Mouse,Rat
存储缓冲液	PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA
Human Gene ID	5551
Human Swissprot No.	P14222
稀释度	WB 1:2000-1:10000, IF-P/IF-F/IF-ICC 1:200-1:1000, ELISA 1:5000-1:20000, IP 1:50-1:200
参考分子量	62kDa
预测分子量	62kDa
运输及保存条件	Biological ice bag transportation. Store at -20°C for at least 12 months(Do not lower than -25°C). Avoid freeze/thaw cycles
宿主	Rabbit
同种型	IgG,Kappa
背景介绍	The protein encoded by this gene has structural and functional similarities to complement component 9 (C9). Like C9, this protein creates transmembrane tubules and is capable of lysing non-specifically a variety of target cells. This protein is one of the main cytolytic proteins of cytolytic granules, and it is known to be a key effector molecule for T-cell- and natural killer-cell-mediated cytotoxicity. Defects in this gene cause familial hemophagocytic lymphohistiocytosis type 2 (FHL2), a rare and lethal autosomal recessive disorder of early childhood. Alternative splicing results in multiple transcript variants encoding the same protein. [provided by RefSeq, Jul 2008].
细胞定位	Cytoplasmic, Membranous
纯化	Protein A
Clonality	Monoclonal