

Mesothelin (17V2) Rabbit Monoclonal Antibody

Catalog# HZ-YMA01101

Product information

产品货号	HZ-YMA01101
别名	Mesothelin;CAK1 antigen;Pre-pro-megakaryocyte-potentiating factor;[Cleaved into : Megakaryocyte-potentiating factor;MPF;Mesothelin, cleaved form];MPF
产品名称	Mesothelin (17V2) Rabbit Monoclonal Antibody
类别	抗体产品
基因名称	MSLN
推荐应用	WB,IHC-P,IF-P,IF-F,IF-ICC,IP,ELISA
反应种属	Human
存储缓冲液	PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA
Human Gene ID	10232
Human Swissprot No.	Q13421
稀释度	IHC-P 1:200-1:1000, WB 1:1000-1:20000, IF 1:200-1:1000, ELISA 1:5000-1:20000, IP 1:50-1:200
参考分子量	48kDa(cleaved),70kDa(precursor)
预测分子量	69kDa
运输及保存条件	Biological ice bag transportation. Store at -20°C for at least 12 months(Do not lower than -25°C). Avoid freeze/thaw cycles
宿主	Rabbit
同种型	IgG,Kappa
背景介绍	This gene encodes a preproprotein that is proteolytically processed to generate two protein products, megakaryocyte potentiating factor and mesothelin. Megakaryocyte potentiating factor functions as a cytokine that can stimulate colony formation of bone marrow megakaryocytes. Mesothelin is a glycosylphosphatidylinositol-anchored cell-surface protein that may function as a cell adhesion protein. This protein is overexpressed in epithelial mesotheliomas, ovarian cancers and in specific squamous cell carcinomas. Alternative splicing results in multiple transcript variants, at least one of which encodes an isoform that is proteolytically processed. [provided by RefSeq, Feb 2016],
细胞定位	Cell membrane; Lipid-anchor, GPI-anchor. Golgi apparatus.; [Megakaryocyte-potentiating factor]: Secreted.; [Isoform 3]: Secreted.
Clonality	Monoclonal