

IKK- γ (19Z6) Rabbit Monoclonal Antibody

Catalog# HZ-YMA01166

Product information

产品货号	HZ-YMA01166
别名	IKBKG;FIP3;NEMO;NF-kappa-B essential modulator;NEMO;FIP-3;Ikb kinase-associated protein 1;IKKAP1;Inhibitor of nuclear factor kappa-B kinase subunit gamma;I-kappa-B kinase subunit gamma;IKK-gamma;IKKG;Ikb kinase subunit gamma;NF
产品名称	IKK- γ (19Z6) Rabbit Monoclonal Antibody
类别	抗体产品
基因名称	IKBKG
推荐应用	WB,IHC-P,IF-P,IF-F,IF-ICC,IP,ELISA
反应种属	Human,Mouse,Rat
存储缓冲液	PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA
Human Gene ID	8517
Human Swissprot No.	Q9Y6K9
稀释度	IHC-P 1:500-1:2000, WB 1:2000-1:10000, IF 1:200-1:1000, ELISA 1:5000-1:20000, IP 1:50-1:200
参考分子量	43-60kDa
预测分子量	48kDa
运输及保存条件	Biological ice bag transportation. Store at -20°C for at least 12 months(Do not lower than -25°C). Avoid freeze/thaw cycles
宿主	Rabbit
同种型	IgG,Kappa
背景介绍	This gene encodes the regulatory subunit of the inhibitor of kappaB kinase (IKK) complex, which activates NF-kappaB resulting in activation of genes involved in inflammation, immunity, cell survival, and other pathways. Mutations in this gene result in incontinentia pigmenti, hypohidrotic ectodermal dysplasia, and several other types of immunodeficiencies. A pseudogene highly similar to this locus is located in an adjacent region of the X chromosome. [provided by RefSeq, Mar 2016],
细胞定位	Cytoplasm . Nucleus . Sumoylated NEMO accumulates in the nucleus in response to genotoxic stress. .
Clonality	Monoclonal