

Rag C (19T19) Rabbit Monoclonal Antibody

Catalog# HZ-YMA01324

Product information

产品货号	HZ-YMA01324
别名	RRAGC;Ras-related GTP-binding protein C;Rag C;RagC;GTPase-interacting protein 2;TIB929
产品名称	Rag C (19T19) Rabbit Monoclonal Antibody
类别	抗体产品
基因名称	RRAGC
推荐应用	WB,IF-P,IF-F,IF-ICC,IP,ELISA
反应种属	Human,Mouse,Rat
存储缓冲液	PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA
Human Gene ID	64121
Human Swissprot No.	Q9HB90
稀释度	WB 1:500-1:2000;IF-P/IF-F/IF-ICC 1:200-1:1000;ELISA 1:5000-1:20000;IP 1:50-1:200;
参考分子量	54kDa
预测分子量	44kDa
运输及保存条件	Biological ice bag transportation. Store at -20°C for at least 12 months(Do not lower than -25°C). Avoid freeze/thaw cycles
宿主	Rabbit
同种型	IgG,Kappa
背景介绍	This gene encodes a member of the GTR/RAG GTP-binding protein family. The encoded protein is a monomeric guanine nucleotide-binding protein which forms a heterodimer with RRAGA and RRAGB and is primarily localized to the cytoplasm. The encoded protein promotes intracellular localization of the mTOR complex. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2012],
细胞定位	Cytoplasm . Nucleus . Lysosome . Predominantly cytoplasmic. May shuttle between the cytoplasm and nucleus, depending on the bound nucleotide state of associated RRAGA (PubMed:11073942). .
Clonality	Monoclonal