

CD48 (1P8) Rabbit Monoclonal Antibody

Catalog# HZ-YMA01743

Product information

产品货号	HZ-YMA01743
别名	CD48;BCM1;BLAST1;CD48 antigen;B-lymphocyte activation marker BLAST-1;BCM1 surface antigen;Leukocyte antigen MEM-102;TCT.1;CD48
产品名称	CD48 (1P8) Rabbit Monoclonal Antibody
类别	抗体产品
基因名称	CD48
推荐应用	WB,IHC-P,IF-P,IF-F,IF-ICC,IP,ELISA
反应种属	Human
存储缓冲液	PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA
Human Gene ID	962
Human Swissprot No.	P09326
稀释度	IHC-P 1:200-1:1000;WB 1:2000-1:10000;IF-P/IF-F/IF-ICC 1:200-1:1000;ELISA 1:5000-1:20000;IP 1:50-1:200
参考分子量	43kDa
预测分子量	28kDa
运输及保存条件	Biological ice bag transportation. Store at -20°C for at least 12 months(Do not lower than -25°C). Avoid freeze/thaw cycles
宿主	Rabbit
同种型	IgG,Kappa
背景介绍	This gene encodes a member of the CD2 subfamily of immunoglobulin-like receptors which includes SLAM (signaling lymphocyte activation molecules) proteins. The encoded protein is found on the surface of lymphocytes and other immune cells , dendritic cells and endothelial cells , and participates in activation and differentiation pathways in these cells. The encoded protein does not have a transmembrane domain , however , but is held at the cell surface by a GPI anchor via a C-terminal domain which maybe cleaved to yield a soluble form of the receptor. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq , Dec 2011] ,
细胞定位	Cell membrane ; Lipid-anchor , GPI-anchor . Secreted .
纯化	Recombinant Antibody expressed in animal component-free (ACF) media, purified via Protein A affinity chromatography.
Clonality	Monoclonal