

MIP-3 α (7E19) Rabbit Monoclonal Antibody

Catalog# HZ-YMA01784

Product information

产品货号	HZ-YMA01784
别名	C-C motif chemokine 20;Beta-chemokine exodus-1;CC chemokine LARC;Liver and activation-regulated chemokine;Macrophage inflammatory protein 3 alpha;MIP-3-alpha;Small-inducible cytokine A20;[Cleaved into: CCL20;1-67;CCL20;1-64;CCL20;2-70;];LARC;MIP3A;SCYA20
产品名称	MIP-3 α (7E19) Rabbit Monoclonal Antibody
类别	抗体产品
基因名称	CCL20
推荐应用	WB,IHC-P,IF-P,IF-F,IF-ICC,ELISA
反应种属	Human
存储缓冲液	PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA
Human Gene ID	6364
Human Swissprot No.	P78556
稀释度	IHC-P 1:200-1:1000;WB 1:500-1:2000;IF-P/IF-F/IF-ICC 1:200-1:1000;ELISA 1:5000-1:20000
参考分子量	9kDa
预测分子量	11kDa
运输及保存条件	Biological ice bag transportation. Store at -20°C for at least 12 months(Do not lower than -25°C). Avoid freeze/thaw cycles
宿主	Rabbit
同种型	IgG,Kappa
背景介绍	This antimicrobial gene belongs to the subfamily of small cytokine CC genes. Cytokines are a family of secreted proteins involved in immunoregulatory and inflammatory processes. The CC cytokines are proteins characterized by two adjacent cysteines. The protein encoded by this gene displays chemotactic activity for lymphocytes and can repress proliferation of myeloid progenitors. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Sep 2014] ,
细胞定位	Secreted .
纯化	Recombinant Antibody expressed in animal component-free (ACF) media, purified via Protein A affinity chromatography.
Clonality	Monoclonal